## IN THE CLAIMS:

Please amend the claims as follows:

1. (Currently Amended) A network aware mobile device, comprising:

a transceiver, which identifies one of a plurality of networks with which the transceiver can

communicate;

memory which stores information associating networks with individual operations which

can be performed on each network using the transceiver; and

means for executing the operations when communication with one of the plurality of

networks is permitted.

2. (Previously Presented) The device as recited in claim 1, wherein the transceiver is included

in one of a telephone, a personal digital assistant, and a portable computer.

3. (Previously Presented) The device as recited in claim 1, wherein the plurality of networks

includes one or more of a wireless local area network and a cellular network.

4. (Previously Presented) The device as recited in claim 1, wherein the memory stores a user-

programmable table, which associates transceiver operations with network preferences.

5. (Previously Presented) The device as recited in claim 1, wherein the means for executing

includes automatic execution of the operations.

-2-

6. (Previously Presented) The device as recited in claim 1, further comprising a function for

determining an identity of a network connected to the mobile device.

7. (Previously Presented) The device as recited in claim 1, wherein the memory includes a list

of network preferences associated with one or more operations and further including an associated

time such that if the associated time elapses a next network preference is employed to perform the

operation.

8. (Original) The device as recited in claim 1, further comprising a notification feature which

notifies a user that information is available for download, wherein the information is automatically

downloaded when communication is established with a network selected by the user.

9. (Original) The device as recited in claim 8, wherein the network selected by the user is

selected from a list of network preferences associated with one or more operations and further

including an associated time such that if the associated time elapses a next network preference is

employed to perform the operation.

10. (Currently Amended) A method for operating a network aware mobile device, comprising

the steps of:

providing a device that is aware of a plurality of networks network in which the device is

located:

configuring the device to perform a selected operation in at least one specific predetermined

-3-

Customer No. 24498 Attorney Docket No. PU030110

Office Action Date: 2/9/2009

network:

when the predetermined network can be communicated with, permitting the operation to be

performed.

11. (Previously Presented) The method as recited in claim 10, wherein the step of configuring

the device includes assigning operations to networks.

12. (Previously Presented) The method as recited in claim 11, wherein the step of assigning

operations to networks includes storing operation assignments in a table.

13. (Previously Presented) The method as recited in claim 11, wherein the step of assigning

includes assigning networks to operations in an order of priority such that if a first network is

unavailable a next network is employed to perform the operation.

14. (Previously Presented) The method as recited in claim 10, wherein the step of permitting the

operation to be performed includes automatically performing the operation once communications

with an appropriately selected network have been established.

15. (Previously Presented) The method as recited in claim 10, further comprising the step of

identifying the network or networks that the device is in.

16. (Previously Presented) The method as recited in claim 15, wherein the step of identifying

-4-

Customer No. 24498 Attorney Docket No. PU030110

Office Action Date: 2/9/2009

the network or networks includes identifying the network the device is in by signaling networks to

identify themselves.

17. (Previously Presented) The method as recited in claim 15, wherein the step of identifying

the network or networks includes identifying the network the device is in by receiving network

identification signals.

(Previously Presented) The method as recited in claim 10, wherein the step of permitting the 18.

operation to be performed includes notifying a user that information is available for retrieval and

automatically retrieving the information upon establishment of communication with a user selected

network.

(Previously Presented) The method as recited in claim 18, wherein the step of automatically 19.

retrieving includes assigning networks to operations in an order of priority such that if a first

network is unavailable a next network is employed to perform the operation.

-5-